

Dance/Movement Therapy and Aging and/or Dementia

Compiled 1996 by Lenore Hervey

Updated, 2000 by Lenore Hervey

Updated, 2007 by Heather Hill & Christine Hopkins

Updated 2015 by Robyn Cruz

Journal Articles and Chapters from Books

Baars, M. (1996). Making the present come alive. In J. Pearson (Ed.), *Discovering the self through drama and movement* (pp. 244-250). London: Jessica Kingsley.

Berrol, C., Ooi, W. L., & Katz, S. (1997). Dance/movement therapy with older adults who have sustained neurological insult: A demonstration project. *American Journal of Dance Therapy, 19*(2), 135-160.

Bräuninger, I. (2014). Dance movement therapy with the elderly: An international Internet-based survey undertaken with practitioners. *Body, Movement And Dance In Psychotherapy, 9*(3), 138-153. doi: 10.1080/17432979.2014.914977

Caplow-Lindner, E. (1982). Dance as a therapeutic intervention for the elderly. *Educational Gerontology, 8*, 167-174.

Coaten, R. (2001). Exploring reminiscence through dance and movement. *Journal of Dementia Care, Sept-October*.

Coaten, R., & Newman-Bluestein, D. (2013). Embodiment and dementia—Dance Movement psychotherapists respond. *Dementia: The International Journal Of Social Research And Practice, 12*(6), 677-681.

Crane-Okada, R., Kiger, H., Sugerman, F., Uman, G. C., Shapiro, S. L., Wyman-McGinty, W., & Anderson, N. R. (2012). Mindful movement program for older breast cancer survivors: A pilot study. *Cancer Nursing, 35*(4), E1-E13. doi:10.1097/NCC.0b013e3182280f73

Cross, K., Flores, R., Butterfield, J., Blackman, M., & Lee, S. (2012).

The effect of passive listening versus active observation of music and dance performances on memory recognition and mild to moderate depression in cognitively impaired older adults. *Psychological Reports*, 111(2), 413-423. doi:10.2466/10.02.13.PR0.111.5.413-423

DiGiammarino, M., Hanlon, H., Kassing, G., & Libman, K. (1992). Arts and aging: An annotated bibliography of selected resource materials in art, dance, drama and music. *Activities, Adaptation & Aging*, 17(2), 39-50.

Fersch, I. E. (1980). Dance/movement therapy: A holistic approach to working with the elderly. *American Journal of Dance Therapy*, 3(2), 33-43.

Fersch, I. E. (1981). Dance/movement therapy: A holistic approach to working with the elderly. *Activities, Adaptation and Aging*, 2(1), 21-30.

Garnet, E. D. (1974). A movement therapy for older people. In *Dance Therapy: Focus on Dance VII* (pp. 59-61). Washington D.C.: American Association for Health, Physical Education and Recreation Publication.

Gayvoronskaya, E., & Shapovalov, D. (2010). Integrative dance/movement psychotherapy and the aging process. *Body, Movement And Dance In Psychotherapy*, 5(2), 185-196. doi:10.1080/17432970902917901

Goldberg, W. G., & Fitzpatrick, J. J. (1980). Movement therapy with the aged. *Nursing Research*, 29(6), 339-346.

Guzmán-García, A., Johannsen, L., & Wing, A. M. (2011). Dance exercise for older adults: A pilot study investigating standing balance following a single lesson of danzón. *American Journal Of Dance Therapy*, 33(2), 148-156. doi:10.1007/s10465-011-9114-6

Guzmán- García, A., Hughes, J. C., James, I. A., & Rochester, L. (2013). Dancing as a psychosocial intervention in care homes: A systematic review of the literature. *International Journal Of Geriatric Psychiatry*, 28(9), 914-924. doi:10.1002/gps.3913

Hackney, M. E., Hall, C. D., Echt, K. V., & Wolf, S. L. (2013). Dancing for balance: Feasibility and efficacy in oldest-old adults with visual impairment. *Nursing Research*, 62(2), 138-143. doi:10.1097/NNR.0b013e318283f68e

- Hamill, M., Smith, L., & Röhricht, F. (2012). 'Dancing down memory lane': Circle dancing as a psychotherapeutic intervention in dementia—A pilot study. *Dementia: The International Journal Of Social Research And Practice*, 11(6), 709-724. doi:10.1177/1471301211420509
- Helm, J., & Gill, K. (1974). An essential resource of aging. *Dance Research Journal of Committee on Research in Dance*, 7(1), 1-7.
- Hill, H. (1992). Journey without a map: Dance therapy with dementia patients. In W.R. Lett (Ed.), *How the arts make a difference in therapy* (pp.89-105). Melbourne, Vic, Australia: Australian Dance Council (Victoria).
- Hill, H. (1992). Dance therapy with psychogeriatric patients: Experience of a local practitioner. In R. Rawson & E. Loughlin (Eds.), *Dance Therapy Collections 1*. Melbourne: Australian Dance Council (Victoria).
- Hill, H. (1999). Dance therapy and communication in dementia. *Signpost to older people and mental health matters*. Wales: National Health Service Trust.
- Hill, H. (1999). Out of the cupboard . . . to the brightness. In J. Guthrie, E. Loughlin, & D. Albiston (Eds.), *Dance Therapy Collections 2* (pp. 14-18). Melbourne: Dance Therapy Association of Australia.
- Hill, H. (2003). A space to be myself. *Signpost to older people and mental health matters*, 7 (3), 37-39.
- Hill, H. (2003) Section on dance therapy in chapter on Creative Care. In R. Hudson (Ed), *Dementia nursing: A guide to practice*. Melbourne, Australia: Ausmed Publications.
- Hill, H. (2006). A dance therapy perspective. In M. Marshall and K. Allan (Eds.), *Dementia: Walking not wandering: Fresh approaches to understanding and practice*. London: Hawker Publications.
- Hill, H. (2006) Dance therapy as person-centred care. In S.C. Koch and I. Braeuninger (Eds.), *Advances in dance/movement therapy: Theoretical perspectives and empirical findings*. Berlin Logos

- Hill, H. (2006/2007). Vive la difference: Creating relationship through dance and movement. *Moving on: Dance-movement Therapy Association of Australia Quarterly*, 5, 3&4, 2-6.
- Hill, H. (2009). Dancing with hope: Dance therapy with people with dementia. In S. Chaiklin, H. Wengrower, S. Chaiklin, H. Wengrower (Eds.) , *The art and science of dance/movement therapy: Life is dance* (pp. 181-194). New York, NY, US: Routledge/Taylor & Francis Group.
- Hokkanen, L., Rantala, L., Remes, A. M., Härkönen, B., Viramo, P., & Winblad, I. (2008). Dance and movement therapeutic methods in management of dementia: A randomized, controlled study. *Journal Of The American Geriatrics Society*, 56(4), 771-772. doi:10.1111/j.1532-5415.2008.01611.x
- Hui, E., Chui, B. T., & Woo, J. (2009). Effects of dance on physical and psychological well-being in older persons. *Archives Of Gerontology And Geriatrics*, 49(1), e45-e50. doi:10.1016/j.archger.2008.08.006
- Jerrome, D. (1999). Circles of the mind: The use of therapeutic circle dance with older people with dementia. In D. Waller (Ed.), *Arts therapies and progressive illness: Nameless dread* (pp. 165-182). New York: Brunner-Routledge.
- Johnson, C., Lahey, P., & Shore, A. (1992). An exploration of creative arts therapeutic work on an Alzheimer's unit. *The Arts in Psychotherapy*, 19(4), 269-278.
- Kelly, A., & Daniel, C. (1996). Beginning to work with the elderly. In J. Pearson (Ed.), *Discovering the self through drama and movement* (pp. 241-243). London: Jessica Kingsley.
- Kiepe, M., Stöckigt, B., & Keil, T. (2012). Effects of dance therapy and ballroom dances on physical and mental illnesses: A systematic review. *The Arts In Psychotherapy*, 39(5), 404-411. doi:10.1016/j.aip.2012.06.001
- Kleinman, S., Dance is Life, in *Bound testimony, aging artfully: Health benefits of art and dance. Hearing before the United States Senate Special Committee on Aging*, U.S Government Printing Office, Washington, D.C., 1993.

- Kleinman, S., Submission for the Record, Statement of The American Dance Therapy Association to the Sub-committee on Ways and Means, House of Representatives Hearing on The Congressional Budget Office's Analysis of the President's Health Care Reform Proposal, Volume X11, President's Health Care Reform Proposals: Impact on Providers and Consumers, Part 3 of 3, February, 1994, Serial 103-91, US Government Printing Office, Washington, 1994.
- Krampe, J. (2013). Exploring the effects of dance-based therapy on balance and mobility in older adults. *Western Journal Of Nursing Research*, 35(1), 39-56. doi:10.1177/0193945911423266
- Krampe, J., Miller, S. J., Echebiri, C., Rantz, M. J., & Skubic, M. (2014). Nighttime restfulness during daytime dance therapy: An exploratory study using bed sensors. *Western Journal Of Nursing Research*, 36(3), 362-373. doi:10.1177/0193945913503716
- Leventhal, M.B. (1989) The dance of life: Dance and movement therapy for the older adult. *Topics in Geriatric Rehabilitation*, 4(4), 67-74.
- Lindner, E. C. (1982). Dance as a therapeutic intervention for the elderly. *Educational Gerontology*, 8(2), 167-174.
- Mason-Luckey, B., & Sandel, S. (1985). Intergenerational movement therapy: A leadership challenge. *The Arts in Psychotherapy*, 12(4), 257-263.
- Needler, W., & Baer, M. (1982). Movement, music and remotivation with the regressed elderly. *Journal of Gerontological Nursing*, 8, 497-503.
- Nyström, K. & Lauritzen, S. O. (2005). Expressive bodies: Demented persons' communication in a dance therapy context. *Health: An Interdisciplinary Journal for the Social Study of Health, Illness and Medicine*, 9(3), 297-317.
- Palo-Bengtsson, L., & Ekman, S. L. (1997). Social dancing in the care of persons with dementia in a nursing home setting: A phenomenological study. *Scholarly Inquiry for Nursing Practice*, 11(2), 101-118.
- Perrin, T. (1998). Lifted into a world of rhythm and melody. *Journal of Dementia Care*, Jan/Feb.

- Pinniger, R., Brown, R. F., Thorsteinsson, E. B., & McKinley, P. (2013). Tango programme for individuals with age-related macular degeneration. *British Journal Of Visual Impairment*, 31(1), 47- 9. doi:10.1177/0264619612470651
- Ravelin, T., Isola, A., & Kylmä, J. (2013). Dance performance as a method of intervention as experienced by older persons with dementia. *International Journal Of Older People Nursing*, 8(1), 10-18. doi:10.1111/j.1748-3743.2011.00284.x
- Samberg, S. (1988). Dance therapy groups for the elderly. In B.W. MacLennan, S. Saul and M.B. Weiner (Eds.), *Group psychotherapies for the elderly* (Ch.10). Madison, Conn.: International Universities Press
- Sandel, S. (1978, November). Movement therapy with geriatric patients in a convalescent home. *Hospital and Community Psychiatry*, 738-741.
- Sandel, S. (1978). Reminiscence in movement therapy with the aged. *Arts in Psychotherapy*, 5, 217-221.
- Sandel, S. (1984). Creating and playing: Bridges for intergenerational communication. *Design for Arts in Education*, 86, 32-35.
- Sandel, S. (1994). Dance/movement therapy with the frail elderly. *Journal of Long Term Home Health Care: The PRIDE Institute Journal*, 13(3), 38-42.
- Sandel, S., & Hollander, A. S. (1995). Dance/movement therapy with aging populations. In F. Levy (Ed.), *Dance and other expressive art therapies*. (pp. 133-143). New York: Routledge.
- Shustik, L.R. & Thompson, T. (2001). Dance/movement therapy: Partners in personhood. In A. Innes & K. Hatfield (Eds.), *Healing arts therapies and person-centered dementia care*. London: Jessica Kingsley.
- United States GPO, "Older Americans Act Amendments of 1992." Congressional Record, 138, 53-54. Continuation of Senate and House Proceedings of April 9, 1992, Issue No. 53; and Proceedings of April 10, 1992, Issue No. 54.
- Unger, A. (1985). Movement therapy for the geriatric population. *Clinical Gerontologist*, 3(3), 46-47.

Watson, J. (1997). Response to "Social dancing in the care of persons with dementia in a nursing home setting: A phenomenological study." *Scholarly Inquiry for Nursing Practice*, 11(2), 119-123.

Books

Beal, R. K., & Berryman-Miller, S. (Eds.). (1988). *Dance for the older adult: Focus on dance XI*. Reston, VA: National Dance Association, American Alliance for Health, Physical Education, Recreation and Dance.

Caplow-Lindner, E., Harpaz, L., & Samberg, S. (1979). *Therapeutic dance/movement and expressive activities for older adults*. New York: Human Sciences Press.

Garnet, E. D. (1982). *Movement is life*. Princeton, NJ: Princeton Book Co.

Herman, G., & Renzurri, J. (1978). *Creative movement for older people*. Hartford, CT: Institute for Movement Exploration.

Hill, H. (2001). *Invitation to the dance: Dance for people with dementia and their carers*. Stirling, Scotland: Dementia Services Development Centre, University of Stirling.

Hill, K. (1976). *Dance for physically disabled persons: A manual for teaching ballroom, square, and folk dances to users of wheelchairs and crutches*. Reston, VA: American Alliance for Health, Physical Education, Recreation and Dance.

Lerman, L. (1984). *Teaching dance to senior adults*. Springfield, IL: Charles C. Thomas.

Sandel, S., & Johnson, D. (1987). *Waiting at the gate: Creativity and hope in the nursing home*. New York: Haworth Press.

Theses and Dissertations

- Anderson, K. R. (1992). *You are not alone: The use of dance movement therapy with geriatrics* (Unpublished master's thesis). Antioch New England Graduate School., Keene, NH.
- Aronson, J. N. (1979). *The story of a dance therapy session with the elderly*. (Unpublished master's thesis). Hunter College, New York.
- Beck, B. E. (1985). *Enhancing self-esteem through dance/movement therapy with elderly residents in a convalescent home* (Unpublished master's thesis). Goucher College, MD.
- Beltran, M. (1981). *Establishment of a dance therapy program in a nursing home: A two-year assessment* (Unpublished master's thesis). Goucher College, MD.
- Berkovitch, S. (1986). *Dance/movement therapy - exercise and beyond! The role of dance/movement therapy in the treatment plan for the older adult populations in adult day care centers* (Unpublished master's thesis). Columbia College Chicago, IL.
- Breitenbach, M. (1987). *Issues of loss in dance/movement therapy with the elderly* (Unpublished master's thesis). Naropa University, Boulder, CO.
- Bridges, L. (1989). *Measuring the effect of dance/movement therapy in the body image of institutionalized elderly using the Kestenberg Movement Profile and projective drawings* (Unpublished master's thesis). Antioch NE Graduate School, Keene, NH
- Broding, L. (1987). *At peace before the darkness sets in: A dance therapist's approach to ego integrity in late adulthood* (Unpublished master's thesis). Lesley College Graduate School, Cambridge, MA.
- Bunke, P. (1987). *Therapeutic phenomena of dance therapy within gerontopsychiatry* (Unpublished master's thesis). Langen Institut Monheim. (In German)
- Clayton, D. (1984). *Life review during dance therapy* (Unpublished master's thesis). Goucher College, MD.

- Cohen, S. (). *The use of dance therapy with rheumatoid arthritics: Specifically, institutionalized geriatric patients* (Unpublished master's thesis). Lesley College, Cambridge, MA.
- Cook-Auerbach, C. (1990). *Dance/movement therapy and depression in elderly nursing home residents* (Unpublished master's thesis). Goucher College, MD.
- Crutchfield, H. C. (1994). *The effects of movement therapy on the self-efficacy and the morale of institutionalized elderly*. Dissertation Abstracts International, Section B: The Sciences and Engineering, 54 (10B), 5092.
- Dubrowsky, R. L. (1983). *Dancing at the Regent* (Unpublished master's thesis). Lesley College Graduate School, Cambridge, MA.
- Fersh, I. E. (1973). *Dance/movement therapy: A holistic approach to working with the elderly* (Unpublished master's thesis). New York University, New York.
- Flegel, D. (1977). *Movement activities and their effects on the interpersonal relationships of the geriatric*. (Unpublished master's thesis). Lone Mountain College.
- Fleishman, E. (1977). *The effect of movement therapy on the interactional behavior of geriatric patients with chronic organic brain syndrome: Three case studies* (Unpublished master's thesis). Drexel University, Philadelphia, PA.
- Furcron, C. D. (1988). *The socialization of the depressed elderly through dance/movement therapy* (Unpublished master's thesis). Goucher College, MD
- Garnet, E. D. (1970). *Geriatric recreation opportunity structure and intervening variable in the disengagement of people 60 years and older* (Unpublished master's thesis). California State University.
- Gordon, P. (1987). *Alzheimer's disease and dance therapy: A case study* (Unpublished master's thesis). Hunter College, NY.
- Harrison, D. (1983). *Withering into the truth: Developmental perspectives on reminiscing in movement therapy groups with geriatrics* (Unpublished master's thesis). Antioch NE Graduate School, Keene, NH.

- Helm, J. B., & Gill, K. L. (1974). *An essential resource for the aging: Dance therapy* (Unpublished master's thesis). New York University, NY.
- Hill, H. (1995). *An attempt to describe and understand moments of experiential meaning within the dance therapy process for a patient with dementia*. Unpublished dissertation, La Trobe University, Bundoora, Vic. Australia. Available at: <http://www.lib.latrobe.edu.au/thesis/public/index.php>
- Hobart, J. (1989). *The effects of touch on communication with geriatrics: A videotape case analysis* (Unpublished master's thesis). Hunter College, NY.
- Hoffman, H. (1979). *A study of the movement patterns of a geriatric population* (Unpublished master's thesis). New York University.
- Hopkins, C. E. (1990). *Does physical contact lead to talking?: Dance-movement therapy with geriatric psychiatric inpatients* (Unpublished master's thesis). New York University.
- Johnson, S. (1973). *Case study*. (Unpublished master's thesis). Hunter College, NY.
- Kalechstein, K. (1988). *An action-oriented approach to Alzheimer's patients* (Unpublished master's thesis). Hunter College, NY.
- Kirsch, M. (1981). *Grief-work and dance/movement therapy with the elderly: A theoretical paper*. (Unpublished master's thesis). Goucher College., MD
- Klapper, E. J. (1984). *How music affects the dance therapy process and seniors* (Unpublished master's thesis). New York University.
- Krampe, J. (2012). Dance-based therapy to decrease fall risk in older persons. *Dissertation Abstracts International*, 73, 1484.
- Lashman, G. (1979). *Dance therapy for the aged* (Unpublished master's thesis). Hunter College.
- Lasichak, D. (1982). *Dance therapy with geropsychiatric outpatients: Issues of loss/separation anxiety*. (Unpublished master's thesis). University of California.

- Lembeck, S. R. (1988). *The role of the dance/movement therapist in the treatment of Alzheimer's disease* (Unpublished master's thesis). Goucher College, MD.
- Lev, A. (1989). *A pilot study of the effectiveness of movement therapy in creating a positive change in self esteem for a healthy geriatric population.* (Unpublished master's thesis). Drexel University, Philadelphia, PA.
- Marshall, L. (1997). *We've gone to another country: An inquiry into therapeutic meaning within a dance/movement therapy group for elders with dementia.* (Unpublished master's thesis). Antioch NE Graduate School, Keene, NH.
- Marshall, M. (2000). *Dance/movement therapy and individuals with dementia-related illness* (Unpublished master's thesis). Columbia College Chicago, IL.
- McClellan, A. B. (1987). *The role of dance/movement therapy in the treatment of persons with Alzheimer's disease* (Unpublished master's thesis). Antioch NE Graduate School, Keene, NH.
- Oddivak, N. (1988). *Alzheimer's disease in a community mental health setting: A case study* (Unpublished master's thesis). Hunter College, NY.
- Pilus, L. B. (1979). *Expressive movement therapy: A revitalizing approach for working with older people.* (Unpublished master's thesis). Lesley College Graduate School, Cambridge, MA.
- Rosen, A. (1979). *Aging in the life cycle: A developmental approach towards movement therapy with the elderly* (Unpublished master's thesis). Lesley College Graduate School, Cambridge, MA.
- Rued, N. (1987). *The use of theatrical performance in dance therapy with geropsychiatric patients.* (Unpublished master's thesis). Antioch NE Graduate School, Keene, NH.
- Scaturro, M. E. (1979). *Movement therapy and the chronic emotionally impaired institutionalized elderly: Can self-expression be improved?* (Unpublished master's thesis). Lesley College Graduate School, Cambridge, MA.

Schaefer, S. C. (). *An abstract for a video production on dance movement therapy with the elderly* (Unpublished master's thesis). Columbia College. IL.

Schneider, E. F. (1985). *Stimulating the communication in the institutionalized female geriatric population via active communication therapy: An integration of movement and speech* (Unpublished master's thesis). California Coast University.

Smith-Stallman, R. (1987). *Morale in the older adult after dance/movement therapy* (Unpublished master's thesis). Hunter College, NY.

Stark, A. (1988). *Kinesthetic rapport with Alzheimer's disease patients* (Unpublished master's thesis). Laban/Bartenieff Institute of Movement Studies.

Trapeni, M. B. (1984). *An invitation to dance* (Unpublished master's thesis). Antioch NE Graduate School, Keene, NH.

Welsh, J. H. (1990). *Ritual in the dance/movement therapy process with elderly adults* (Unpublished master's thesis). Goucher College, MD.

Will, M. (1987). *The variety of approaches in dance therapy for working with the elderly in a nursing home* (Unpublished master's thesis). Langen Institut Monheim. (In German)

Yelink, D. (1987). *At my age I deserve some rest: Expressive therapies with a geriatric populatio.* (Unpublished master's thesis). Lesley College Graduate School, Cambridge, MA.

Zeidman, B. (1980). *A study of movement with geriatrics.* (Unpublished master's thesis). Immaculate Heart College.

Conference Proceedings

Becker, B. (1997). Dance/movement therapy with people over 55: Differences, similarities, surprises. *32nd Annual Conference Proceedings*. Columbia, MD: American Dance Therapy Association.

- Berrol, C., & Katz, S. (1997). Dance/movement therapy with older adults who have sustained neurological insult: A demonstration project. *32nd Annual Conference Proceedings*. Columbia, MD: American Dance Therapy Association.
- Feder, E., & Smith, D. (1993). An idea is like a bird: Creating a multi-modal expressive arts program of older adults. *28th Annual Conference Proceedings*. Columbia, MD: American Dance Therapy Association.
- Fischer, P. P. (1993). Bridging the generations through a moving experience. *28th Annual Conference Proceedings*. Columbia, MD: American Dance Therapy Association.
- Hill, H. (1992). Journey without a map: dance therapy with dementia patients. How the arts make a difference in therapy: Papers from a conference at La Trobe University, January 1992. Melbourne: Australian Dance Council (Victoria).
- Kierr-Wise, S. (1993). The aging milestone. *28th Annual Conference Proceedings*. Columbia, MD: American Dance Therapy Association.
- Koshland, L. (1993). Walks of life: Dance/movement therapy and socialization with the elderly. *28th Annual Conference Proceedings*. Columbia, MD: American Dance Therapy Association.
- Samuels, A. (1973). Dance therapy with geriatric patients. *8th Annual Conference Proceedings*. Columbia, MD: American Dance Therapy Association.
- Tandy, C. M. (1993). Silver dreams—Motivating journeys of aging. *28th Annual Conference Proceedings*. Columbia, MD: American Dance Therapy Association.
- Thomson, R. (1993). The elderly: The imagination: The movement. *28th Annual Conference Proceedings*. Columbia, MD: American Dance Therapy Association.

Related Resources for Aging and Dementia

- Barstow, C. (1985). *Tending body and spirit: Massage and counseling with elders*. Boulder, CO: Cedar Barstow.
- Berger, B.G. (1988). The role of physical activity in the life quality of older adults. In W. Spirduso & H. Edkert (Eds.), *Physical activity and aging* (pp. 42-58). Champaign, IL: Human Kinetics Books.
- Brotons, M., & Pickett-Cooper, P. (1994). Preferences of Alzheimer's disease patients for music activities: Singing, instruments, dance/movement, games and composition improvisation. *Journal of Music Therapy*, 31(3), 220-233.
- Brotons, M., Koger, S. M., & Pickett-Cooper, P. (1997). Music and dementias: A review of literature. *Journal of Music Therapy*, 34(4), 204-245.
- Bryant, W. (1991). Creative group work with confused elderly people: A development of sensory integration therapy. *British Journal of Occupational Therapy*. Spring, 54(5), 187-192
- Clair, A. A. (1994). Ethics and values in music therapy for persons who are elderly. *Activities, Adaptation & Aging*, 18(3-4), 27-46.
- Clair, A. A., & Ebberts, A. (1997). The effects of music therapy on interactions between family caregivers and their care receivers with late stage dementia. *Journal of Music Therapy*, 34(3), 148-164.
- Cheston, R. & Bender, M. (1999). *Understanding dementia: The man with the worried eyes*. London: Jessica Kingsley Publishers.
- Foster, M. T. (1992). Experiencing a "creative high." *Journal of Creative Behavior*, 26(1), 29-39.
- Garratt, S. & Hamilton-Smith, E. (Eds.) (1995). *Rethinking dementia: an Australian approach*. Melbourne: Ausmed Publications.
- Greenberg, P. (1987). *Visual arts and older people: Developing quality programs*. Springfield: Charles C. Thomas.
- Groene, R., Zapchenk, S., Marble, G., & Kantar, S. (1998). The effect of therapist and activity characteristics on the purposeful responses of probably Alzheimer's disease participants. *Journal of Music Therapy*, 35(2), 119-136.

- Hanson, N., Gfeller, K., Woodworth, G., & Swanson, E. (1996). A comparison of the effectiveness of differing types and difficulty of music activities in programming for older adults with Alzheimer's disease and related disorders. *Journal of Music Therapy, 33*(2), 93-123.
- Hill, H. (2005). *Talking the talk, but not walking the walk: Barriers to person-centred care in dementia*. Unpublished dissertation, La Trobe University, Bundoora, Vic. Australia. Available at: <http://www.lib.latrobe.edu.au/thesis/public/index.php>
- Johnson, D. R. (1986). The developmental method in drama therapy: Group treatment with the elderly. *The Arts in Psychotherapy, 13*(1), 17-34.
- Killick, J. & Allan (2001). *Communication and the care of people with dementia*. Buckingham: Open University Press.
- Kitwood, T. (1997). *Dementia reconsidered: The person comes first*. Philadelphia: Open University Press.
- Koger, S., Chapin, K., & Brotons, M. (1999). Is music therapy an effective intervention for dementia? A meta-analytic review of literature. *Journal of Music Therapy, 36*(1), 2-15.
- Ludins-Katz, F., & Katz, E. (1990). *Art & disabilities*. Cambridge: Brookline Books.
- Otto, D., Cochran, V., Johnson, G., & Clair, A. A. (1999). The influence of background music on task engagement in frail, older persons in residential care. *Journal of Music Therapy, 36*(3), 182-195.
- Percoskie, S. (1997). Art therapy with the Alzheimer's client. *Humanistic Psychologist, 25*(2), 208-211.
- Segal, R. (1990). Helping older mentally retarded persons expand their socialization skills through the use of expressive therapies. *Activities, Adaptation & Aging, 15*(1-2), 99-109.
- Silber, F., & Hes, J. (1995). The use of songwriting with patients diagnosed with Alzheimer's disease. *Music Therapy Perspectives, 13*(1), 31-34.

Tomaino, C. M. (1994). Music and music therapy for frail noninstitutionalized elderly persons. *Journal of Long Term Home Health Care, The PRIDE Institute Journal*, 13(2), 24-27.

Weisberg, N., & Wilder, R. (1985). *Creative arts with older adults: A sourcebook*. New York: Human Sciences Press.

Weiss, J. C. (1984). *Expressive therapy with elders and the disabled: Touching the heart of life*. New York: The Haworth Press, Inc.